

## Administration

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	<b>Administration Menu</b>	5.x-2.6	Renders a menu tree for administrative purposes as dropdown menu at the top of the window.

## CCK

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	<b>Content</b>	5.x-1.9	Allows administrators to define new content types. Required by: Content Copy ( <a href="#">enabled</a> ), Date ( <a href="#">enabled</a> ), Date Copy ( <a href="#">disabled</a> ), Fieldgroup ( <a href="#">disabled</a> ), ImageField ( <a href="#">enabled</a> ), Link ( <a href="#">enabled</a> ), Node Reference ( <a href="#">enabled</a> ), Number ( <a href="#">disabled</a> ), Option Widgets ( <a href="#">enabled</a> ), Text ( <a href="#">enabled</a> ), User Reference ( <a href="#">enabled</a> ), Zipcode - CCK ( <a href="#">disabled</a> )
<input checked="" type="checkbox"/>	<b>Content Copy</b>	5.x-1.9	Enables ability to import/export field definitions. Depends on: Content ( <a href="#">enabled</a> )
<input type="checkbox"/>	<b>Fieldgroup</b>	5.x-1.9	Create field groups for CCK fields. Depends on: Content ( <a href="#">enabled</a> )
<input checked="" type="checkbox"/>	<b>ImageField</b>	5.x-2.1	Defines an image field type. Depends on: Content ( <a href="#">enabled</a> )
<input checked="" type="checkbox"/>	<b>Link</b>	5.x-2.3.1	Defines simple link field types. Depends on: Content ( <a href="#">enabled</a> )
<input checked="" type="checkbox"/>	<b>Node Reference</b>	5.x-1.9	Defines a field type for referencing one node from another. Depends on: Content ( <a href="#">enabled</a> )
<input type="checkbox"/>	<b>Number</b>	5.x-1.9	Defines numeric field types. Depends on: Content ( <a href="#">enabled</a> )
<input checked="" type="checkbox"/>	<b>Option Widgets</b>	5.x-1.9	Defines selection, check box and radio button widgets for text and numeric fields. Depends on: Content ( <a href="#">enabled</a> )
<input checked="" type="checkbox"/>	<b>Text</b>	5.x-1.9	Defines simple text field types. Depends on: Content ( <a href="#">enabled</a> )
<input checked="" type="checkbox"/>	<b>User Reference</b>	5.x-1.9	Defines a field type for referencing a user from a node. Depends on: Content ( <a href="#">enabled</a> )
<input type="checkbox"/>	<b>Zipcode - CCK</b>	5.x-2.2	The zipcode module allows administrators to define a field type for zip or postal codes. Note: Requires content.module Depends on: Content ( <a href="#">enabled</a> )

## Core - optional

Enabled	Name	Version	Description
<input type="checkbox"/>	<b>Aggregator</b>	5.10	Aggregates syndicated content (RSS, RDF, and Atom feeds).
<input type="checkbox"/>	<b>Blog</b>	5.10	Enables keeping easily and regularly updated user web pages or blogs.
<input type="checkbox"/>	<b>Blog API</b>	5.10	Allows users to post content using applications that support XML-RPC blog API
<input type="checkbox"/>	<b>Book</b>	5.10	Allows users to collaboratively author a book.
<input checked="" type="checkbox"/>	<b>Color</b>	5.10	Allows the user to change the color scheme of certain themes.
<input checked="" type="checkbox"/>	<b>Comment</b>	5.10	Allows users to comment on and discuss published content. Required by: Forum ( <b>disabled</b> ), Tracker ( <b>disabled</b> )
<input checked="" type="checkbox"/>	<b>Contact</b>	5.10	Enables the use of both personal and site-wide contact forms.
<input type="checkbox"/>	<b>Drupal</b>	5.10	Lets you register your site with a central server and improve ranking of Drupal projects by posting information on your installed modules and themes
<input type="checkbox"/>	<b>Forum</b>	5.10	Enables threaded discussions about general topics. Depends on: Taxonomy ( <b>enabled</b> ), Comment ( <b>enabled</b> )
<input checked="" type="checkbox"/>	<b>Help</b>	5.10	Manages the display of online help.
<input type="checkbox"/>	<b>Legacy</b>	5.10	Provides legacy handlers for upgrades from older Drupal installations.
<input type="checkbox"/>	<b>Locale</b>	5.10	Enables the translation of the user interface to languages other than English.
<input checked="" type="checkbox"/>	<b>Menu</b>	5.10	Allows administrators to customize the site navigation menu.
<input checked="" type="checkbox"/>	<b>Path</b>	5.10	Allows users to rename URLs.
<input type="checkbox"/>	<b>Ping</b>	5.10	Alerts other sites when your site has been updated.
<input checked="" type="checkbox"/>	<b>Poll</b>	5.10	Allows your site to capture votes on different topics in the form of multiple choice questions.
<input type="checkbox"/>	<b>Profile</b>	5.10	Supports configurable user profiles.
<input checked="" type="checkbox"/>	<b>Search</b>	5.10	Enables site-wide keyword searching.
<input checked="" type="checkbox"/>	<b>Statistics</b>	5.10	Logs access statistics for your site.
<input checked="" type="checkbox"/>	<b>Taxonomy</b>	5.10	Enables the categorization of content. Required by: Forum ( <b>disabled</b> ), Smart Queue Taxonomy ( <b>enabled</b> ), Taxonomy breadcrumb ( <b>disabled</b> ), Taxonomy Menu ( <b>disabled</b> ), Taxonomy Super Select ( <b>disabled</b> ), Bonus: lineage nested ( <b>disabled</b> )
<input type="checkbox"/>	<b>Throttle</b>	5.10	Handles the auto-throttling mechanism, to control site congestion.
<input type="checkbox"/>	<b>Tracker</b>	5.10	Enables tracking of recent posts for users. Depends on: Comment ( <b>enabled</b> )
<input checked="" type="checkbox"/>	<b>Upload</b>	5.10	Allows users to upload and attach files to content.

## Core - required

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	<b>Block</b>	5.10	Controls the boxes that are displayed around the main content.
<input checked="" type="checkbox"/>	<b>Filter</b>	5.10	Handles the filtering of content in preparation for display.
<input checked="" type="checkbox"/>	<b>Node</b>	5.10	Allows content to be submitted to the site and displayed on pages.
<input checked="" type="checkbox"/>	<b>System</b>	5.10	Handles general site configuration for administrators.
<input checked="" type="checkbox"/>	<b>User</b>	5.10	Manages the user registration and login system.
<input checked="" type="checkbox"/>	<b>Watchdog</b>	5.10	Logs and records system events.

Date/Time

Enabled	Name	Version	Description
<input type="checkbox"/>	<b>Calendar</b>	5.x-2.0-rc	Views plugin to display views containing dates as Calendars. Depends on: Views (enabled), Date API (enabled), Date Timezone (enabled) Required by: Calendar iCal (disabled), Calendar Popup (disabled)
<input type="checkbox"/>	<b>Calendar iCal</b>	5.x-2.0-rc	Adds ical functionality to Calendar views. Depends on: Views (enabled), Date API (enabled), Calendar (disabled)
<input type="checkbox"/>	<b>Calendar Popup</b>	5.x-2.x-dev	Replaces the links to calendar items with a javascript popup that gracefully regresses if javascript is not enabled Depends on: Calendar (disabled), Views (enabled)
<input checked="" type="checkbox"/>	<b>Date</b>	5.x-2.3	Defines CCK date/time fields and widgets. Depends on: Content (enabled), Date API (enabled), Date Timezone (enabled) Required by: Date Copy (disabled)
<input checked="" type="checkbox"/>	<b>Date API</b>	5.x-2.3	A Date API that can be used by other modules. Required by: Calendar (disabled), Calendar iCal (disabled), Date (enabled), Date PHP4 (enabled), Date Popup (enabled), Date Repeat API (disabled), Date Timezone (enabled)
<input type="checkbox"/>	<b>Date Copy</b>	5.x-2.3	Import and export CCK date data. Depends on: Content (enabled), Date (enabled)
<input checked="" type="checkbox"/>	<b>Date PHP4</b>	5.x-2.3	Emulate PHP 5.2 date functions in PHP 4.x, PHP 5.0, and PHP 5.1. Required w/ using the Date API with PHP versions less than PHP 5.2. Depends on: Date API (enabled)
<input checked="" type="checkbox"/>	<b>Date Popup</b>	5.x-2.3	Enables jquery popup calendars and time entry widgets for selecting dates and times. Depends on: Date API (enabled), Date Timezone (enabled)
<input type="checkbox"/>	<b>Date Repeat API</b>	5.x-2.3	A Date Repeat API to calculate repeating dates and times from iCal rules. Depends on: Date API (enabled)
<input checked="" type="checkbox"/>	<b>Date Timezone</b>	5.x-2.3	Needed when using Date API. Overrides site and user timezone handling to use timezone names instead of offsets. Depends on: Date API (enabled) Required by: Calendar (disabled), Date (enabled), Date Popup (enabled)

Development

Enabled	Name	Version	Description
<input type="checkbox"/>	<b>Node Queue Generate</b>	5.x-2.2	Bulk assign nodes into queues for quickly populating a site. Depends on: Node Queue (enabled)

Node Profile

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	<b>Node Family</b>	5.x-1.4	Builds node families based on content types and author information. Required by: Node Profile (enabled)
<input checked="" type="checkbox"/>	<b>Node Profile</b>	5.x-1.4	Marks content types as profiles. Depends on: Node Family (enabled), Subform Element (enabled)

Node Queue

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	<b>Node Queue</b>	5.x-2.2	Create queues which can contain nodes in arbitrary order Required by: Smart Queue Author (disabled), NodeCarousel (enabled), Node Queue Generat (disabled), Smart Queue Taxonomy (enabled)
<input type="checkbox"/>	<b>Smart Queue Author</b>	5.x-2.2	Creates a node queue for each node author Depends on: Node Queue (enabled)
<input checked="" type="checkbox"/>	<b>Smart Queue Taxonomy</b>	5.x-2.2	Creates a node queue for each taxonomy vocabulary Depends on: Node Queue (enabled), Taxonomy (enabled)

## Other

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	<b>Better Select</b>	5.x-1.x-dev	Use stylized checkboxes instead of the default multiple select HTML element in forms.
<input checked="" type="checkbox"/>	<b>Classroom Earth</b>	5.x	Custom blocks and functionality for Classroom Earth
<input checked="" type="checkbox"/>	<b>FCKeditor</b>	5.x-2.x-dev	Enables the usage of FCKeditor (WYSIWYG) instead of plain text fields.
<input checked="" type="checkbox"/>	<b>Google Analytics</b>	5.x-1.7	Adds Google Analytics javascript tracking code to all your site's pages.
<input type="checkbox"/>	<b>IMCE</b>	5.x-1.2	An image/file uploader and browser supporting personal directories and us quota.
<input checked="" type="checkbox"/>	<b>Site map</b>	5.x-1.2	Display a site map.
<input checked="" type="checkbox"/>	<b>Subform Element</b>	5.x-1.4	Provides a new form element that makes reusing other forms easy Required by: Node Profile ( <a href="#">enabled</a> )
<input type="checkbox"/>	<b>Taxonomy breadcrumb</b>	5.x-1.4	Enables taxonomy based breadcrumbs and allows for node associations w taxonomy terms. Depends on: Taxonomy ( <a href="#">enabled</a> )
<input type="checkbox"/>	<b>Taxonomy Menu</b>	5.x-1.03	Adds links to taxonomy terms to the global navigation menu. Depends on: Taxonomy ( <a href="#">enabled</a> )
<input type="checkbox"/>	<b>Taxonomy Super Select</b>	5.x-1.5-1	Changes the default taxonomy select box into checkbox or radio buttons Depends on: Taxonomy ( <a href="#">enabled</a> )
<input type="checkbox"/>	<b>TinyMCE</b>	5.x-1.9	The most popular WYSIWYG editor for advanced content editing.
<input checked="" type="checkbox"/>	<b>Update status</b>	5.x-2.3	Checks to see if your installation of Drupal and its modules are up to date.
<input checked="" type="checkbox"/>	<b>Webform</b>	5.x-2.7	Enables the creation of forms and questionnaires.

## Panels

Enabled	Name	Version	Description
<input type="checkbox"/>	<b>Legacy node panes</b>	5.x-2.0-rc1a	Allows embedding specific nodes into panes without using contexts. This mod provides backwards compatibility for older Panels API implementations; you should only enable it if your Panels editor is mysteriously without node-related data. Depends on: Panels ( <a href="#">enabled</a> )
<input type="checkbox"/>	<b>Legacy views panes</b>	5.x-2.0-rc1a	Provides all views as panes to be added to displays; this is provided for legacy use and should not be used in new installations. Depends on: Panels ( <a href="#">enabled</a> ), Views ( <a href="#">enabled</a> )
<input checked="" type="checkbox"/>	<b>Mini panels</b>	5.x-2.0-rc1a	Create mini panels that can be used as blocks. Depends on: Panels ( <a href="#">enabled</a> )
<input type="checkbox"/>	<b>Panel nodes</b>	5.x-2.0-rc1a	Create nodes that are divided into areas with selectable content. Depends on: Panels ( <a href="#">enabled</a> )
<input checked="" type="checkbox"/>	<b>Panel pages</b>	5.x-2.0-rc1a	Create pages that are divided into areas of the page. Depends on: Panels ( <a href="#">enabled</a> )
<input checked="" type="checkbox"/>	<b>Panels</b>	5.x-2.0-rc1a	Core Panels display functions Required by: Panels exporter ( <a href="#">disabled</a> ), Mini panels ( <a href="#">enabled</a> ), Panel nodes ( <a href="#">disabled</a> ), Legacy node panes ( <a href="#">disabled</a> ), Panel pages ( <a href="#">enabled</a> ), Panels simple cache ( <a href="#">disabled</a> ), Views panes ( <a href="#">enabled</a> ), Legacy views panes ( <a href="#">disabled</a> ), Bonus: Panels ( <a href="#">disabled</a> )
<input type="checkbox"/>	<b>Panels exporter</b>	5.x-2.0-rc1a	Allows exporting multiple panel pages, mini panels and other types at once. Depends on: Panels ( <a href="#">enabled</a> )
<input type="checkbox"/>	<b>Panels simple cache</b>	5.x-2.0-rc1a	Adds the simple cache as an option when configuring panel panes. Depends on: Panels ( <a href="#">enabled</a> )
<input checked="" type="checkbox"/>	<b>Views panes</b>	5.x-2.0-rc1a	Creates views as content types that can be added to displays Depends on: Panels ( <a href="#">enabled</a> ), Views ( <a href="#">enabled</a> )

## Spam control

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	<b>CAPTCHA</b>	5.x-3.2	Base CAPTCHA module for adding challenges to arbitrary forms. Required by: Image CAPTCHA ( <a href="#">enabled</a> ), Text CAPTCHA ( <a href="#">disabled</a> )
<input checked="" type="checkbox"/>	<b>Image CAPTCHA</b>	5.x-3.2	Provides an image based CAPTCHA. Depends on: CAPTCHA ( <a href="#">enabled</a> )
<input type="checkbox"/>	<b>Text CAPTCHA</b>	5.x-3.2	Provides a simple text based CAPTCHA. Depends on: CAPTCHA ( <a href="#">enabled</a> )

## User Interface

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	<b>jCarousel</b>	5.x-1.3	This module allows developers and themers to make use of the jCarousel jQuery plugin. Depends on: JQuery Update (enabled) Required by: NodeCarousel (enabled)
<input checked="" type="checkbox"/>	<b>JQuery Update</b>	5.x-1.0	Updates Drupal to use the latest version of JQuery. Required by: jCarousel (enabled)
<input checked="" type="checkbox"/>	<b>NodeCarousel</b>	5.x-1.0	Displays a series of nodes in a slide or parade fashion, using the jCarousel jQuery extension Depends on: jCarousel (enabled), Node Queue (enabled)

Views

Enabled	Name	Version	Description
<input type="checkbox"/>	<b>Bonus: audio playlist</b>	5.x-1.2-alpha2	Displays a view of audio nodes in a flash player with playlist. Depends on: Views (enabled), Audio (missing)
<input type="checkbox"/>	<b>Bonus: Bare view</b>	5.x-1.2-alpha2	Outputs fields as they are; no fancy formatting. Depends on: Views (enabled)
<input type="checkbox"/>	<b>Bonus: grid view</b>	5.x-1.2-alpha2	View type that outputs a LIST view in a simple grid. In your PHP argument code you can use <code>&lt;?php \$view-&gt;gridcount = SOME_NUMBER; ?&gt;</code> to change the column count Depends on: Views (enabled)
<input type="checkbox"/>	<b>Bonus: lineage nested</b>	5.x-1.2-alpha2	View type that displays summaries as nested taxonomy trees. Provides a new default view at administer >> views Depends on: Views (enabled), Lineage (missing), Taxonomy (enabled)
<input type="checkbox"/>	<b>Bonus: monthly archive</b>	5.x-1.2-alpha2	Provides the classic monthly archive view as a default view. When activated, you will find the new view in administer >> views Depends on: Views (enabled)
<input type="checkbox"/>	<b>Bonus: Panels</b>	5.x-1.2-alpha2	Various views style plugins to put views nodes in panels Depends on: Views (enabled), Panels (enabled)
<input type="checkbox"/>	<b>Bonus: Sparkline view</b>	5.x-1.2-alpha2	View type that outputs a each field as a sparkline graph, with one data point for each node. Each field MUST contain a numeric value, not a text value. Depends on: Views (enabled), Sparkline (missing)
<input type="checkbox"/>	<b>Bonus: summary + full view</b>	5.x-1.2-alpha2	View type puts a summary on top and an argument below. Depends on: Views (enabled)
<input checked="" type="checkbox"/>	<b>Bonus: Views Export</b>	5.x-1.2-alpha2	Plugin to export views to Comma Separated Values (CSV, opens in spreadsheet programs), or Doc Depends on: Views (enabled)
<input checked="" type="checkbox"/>	<b>Views</b>	5.x-1.6	The views module creates customized views of node lists. Required by: Calendar (disabled), Calendar iCal (disabled), Calendar Popup (disabled), Views panes (enabled), Legacy views panes (disabled), Bonus: monthly archive (disabled), Bonus: audio playlist (disabled), Bonus: Bare view (disabled), Bonus: Views Export (enabled), Bonus: grid view (disabled), Bonus: lineage nested (disabled), Bonus: Panels (disabled), Bonus: Sparkline view (disabled), Bonus: summary + full view (disabled), Views FilterBlock (enabled), Views Group-By Pack (enabled), Views RSS (enabled), Views Theme Wizard (disabled), View (enabled)
<input checked="" type="checkbox"/>	<b>Views FilterBlock</b>	5.x-1.4	Move the views filter form to a block. Depends on: Views (enabled)
<input checked="" type="checkbox"/>	<b>Views Group-By Pack</b>	5.x-1.3	Provides several views style plugins for the grouping of nodes in a view. Depends on: Views (enabled)
<input checked="" type="checkbox"/>	<b>Views RSS</b>	5.x-1.4	RSS plugin for the views feed selector argument.

## Voting

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	<b>Fivestar</b>	5.x-1.12	A simple five-star voting widget for nodes. Depends on: Voting API ( <a href="#">enabled</a> )

## Voting API

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	<b>Voting API</b>	5.x-1.6	Provides a shared voting API for other modules. Required by: Fivestar ( <a href="#">enabled</a> )

Save configuration

All content © 2008  
National Environmental Education Foundation  
4301 Connecticut Ave. NW  
Suite 160  
Washington, DC 20008