

Activity

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Activity	5.x-4.x-dev	Allow users to see their friends' activity on the site. Depends on: Token (enabled) Required by: Activity history (enabled), Buddylist2 activity (disabled), Buddylist activity Favorite Nodes activity (disabled), Flag activity (enabled), Node activity (enabled), OG activity (disabled), User activity (disabled), Views bookmark activity (disabled), Voting
<input checked="" type="checkbox"/>	Activity history	5.x-4.x-dev	Tracks whether a user has been shown a particular activity message Depends on: Activity (enabled)
<input checked="" type="checkbox"/>	Buddylist activity	5.x-4.x-dev	Enable activity notifications for buddylist. Depends on: Activity (enabled), Buddylist (enabled)
<input type="checkbox"/>	Buddylist2 activity	5.x-4.x-dev	Enable activity notifications for buddylist2. Depends on: Activity (enabled), Buddy_api (missing)
<input checked="" type="checkbox"/>	Comment activity	5.x-4.x-dev	Enable activity notifications for comments. Depends on: Activity (enabled), Comment (enabled)
<input type="checkbox"/>	Favorite Nodes activity	5.x-4.x-dev	Enable activity notifications for Favorite Nodes. Depends on: Activity (enabled), Favorite Nodes (enabled)
<input checked="" type="checkbox"/>	Flag activity	5.x-4.x-dev	Enable activity notifications for flag. Depends on: Activity (enabled), Flag (enabled)
<input checked="" type="checkbox"/>	Node activity	5.x-4.x-dev	Enable activity notifications for content creation. Depends on: Activity (enabled)
<input type="checkbox"/>	OG activity	5.x-4.x-dev	Enable activity notifications for organic groups. Depends on: Activity (enabled), Organic groups (enabled)
<input type="checkbox"/>	User activity	5.x-4.x-dev	Enable activity notifications for user actions. Depends on: Activity (enabled)
<input type="checkbox"/>	User relationships activity	5.x-4.x-dev	Enable activity notifications for user relationships. Depends on: Activity (enabled), User_relationships (missing)
<input type="checkbox"/>	Views bookmark activity	5.x-4.x-dev	Enable activity notifications for views bookmarks. Depends on: Activity (enabled), Views_bookmark (missing)
<input checked="" type="checkbox"/>	Voting activity	5.x-4.x-dev	Enable activity notifications for voting. Depends on: Activity (enabled), Voting API (enabled)

Administration

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Abuse	5.x-1.0-beta	An abuse system to flag content on the site Required by: Watchlist (enabled)
<input checked="" type="checkbox"/>	Administration Menu	5.x-2.6	Renders a menu tree for administrative purposes as dropdown menu at
<input checked="" type="checkbox"/>	Watchlist	5.x-1.0-beta	Allows nodes and comments to be automatically marked into a pending module Depends on: Abuse (enabled)

Approval

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Avatar Approval	5.x-1.0	Moderate your user's avatar

CCK

Enabled	Name	Version	Description
<input type="checkbox"/>	CCK Field Permissions	5.x-1.10	Allows admin to restrict create, update and view access on specific cck field Depends on: Content (enabled)
<input checked="" type="checkbox"/>	CCK Taxonomy	5.x-1.2	CCK integration with taxonomy.module Depends on: Content (enabled), Taxonomy (enabled), Views (enabled)
<input checked="" type="checkbox"/>	Content	5.x-1.9	Allows administrators to define new content types. Required by: CCK Field Permissions (disabled), Content Field Privacy (enabled), CCK Tax Date (enabled), Date Copy (disabled), Embedded Media Field (enabled), Fieldgroup (enabled), ImageField (enabled), Link (enabled), Location CCK (disabled), Node Reference Widgets (enabled), CCK Fields (disabled), Text (enabled), User Reference (disabled)
<input checked="" type="checkbox"/>	Content Copy	5.x-1.9	Enables ability to import/export field definitions. Depends on: Content (enabled)
<input checked="" type="checkbox"/>	Content Field Privacy	5.x-1.2	Allow users to control per-field privacy settings. Depends on: Content (enabled), Buddylist (enabled), JQuery Impromptu (enabled)
<input checked="" type="checkbox"/>	Embedded Audio Field	5.x-1.2	Defines a field type for displaying third party music, podcasts, and other audio. Depends on: Embedded Media Field (enabled)
<input checked="" type="checkbox"/>	Embedded Image Field	5.x-1.2	Defines a field type for displaying images from third party providers, such as Flickr. Depends on: Embedded Media Field (enabled)
<input checked="" type="checkbox"/>	Embedded Media Field	5.x-1.2	Provides an engine for modules to integrate various 3rd party content providers like Image Neighborhood, and Audio Neighborhood. Depends on: Content (enabled) Required by: Embedded Audio Field (enabled), Embedded Media Import (enabled), Embedded Image Field (enabled), Embedded Video Field (enabled)
<input checked="" type="checkbox"/>	Embedded Media Import	5.x-1.2	Imports media from certain third providers, such as Flickr. Depends on: Embedded Media Field (enabled)
<input type="checkbox"/>	Embedded Media Thumbnail	5.x-1.2	Allows custom thumbnails for Embedded Media Fields. Depends on: Embedded Media Field (enabled)
<input checked="" type="checkbox"/>	Embedded Video Field	5.x-1.2	Defines a field type for displaying third party videos, such as YouTube and Vimeo. Depends on: Embedded Media Field (enabled)
<input checked="" type="checkbox"/>	Fieldgroup	5.x-1.9	Create field groups for CCK fields. Depends on: Content (enabled)
<input checked="" type="checkbox"/>	File Field	5.x-2.3	Defines a file field type. Depends on: Content (enabled), MimeDetect (enabled) Required by: FileField - Meta (disabled)
<input type="checkbox"/>	FileField - Meta	5.x-2.3	Add metadata gathering and storage to filefield. Depends on: Content (enabled), File Field (enabled), Getid3 (missing)
<input checked="" type="checkbox"/>	ImageField	5.x-2.1	Defines an image field type. Depends on: Content (enabled)
<input type="checkbox"/>	Link Field	5.x-1.2	Defines simple link field types.

Content Management

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Moderate	5.x-1.0-beta1	Adds a moderation option for each content type.

Core - optional

Enabled	Name	Version	Description
<input type="checkbox"/>	Aggregator	5.11	Aggregates syndicated content (RSS, RDF, and Atom feeds).
<input checked="" type="checkbox"/>	Blog	5.11	Enables keeping easily and regularly updated user web pages or blogs. Required by: Blog Subscriptions UI (disabled)
<input type="checkbox"/>	Blog API	5.11	Allows users to post content using applications that support XML-RPC blog API
<input type="checkbox"/>	Book	5.11	Allows users to collaboratively author a book.
<input checked="" type="checkbox"/>	Color	5.11	Allows the user to change the color scheme of certain themes.
<input checked="" type="checkbox"/>	Comment	5.11	Allows users to comment on and discuss published content. Required by: Comment activity (enabled), Forum (disabled), Tracker (disabled)
<input checked="" type="checkbox"/>	Contact	5.11	Enables the use of both personal and site-wide contact forms.
<input type="checkbox"/>	Drupal	5.11	Lets you register your site with a central server and improve ranking of Drupal your installed modules and themes
<input type="checkbox"/>	Forum	5.11	Enables threaded discussions about general topics. Depends on: Taxonomy (enabled), Comment (enabled)
<input checked="" type="checkbox"/>	Help	5.11	Manages the display of online help.
<input type="checkbox"/>	Legacy	5.11	Provides legacy handlers for upgrades from older Drupal installations.
<input type="checkbox"/>	Locale	5.11	Enables the translation of the user interface to languages other than English.
<input checked="" type="checkbox"/>	Menu	5.11	Allows administrators to customize the site navigation menu.
<input checked="" type="checkbox"/>	Path	5.11	Allows users to rename URLs. Required by: Pathauto (enabled)
<input type="checkbox"/>	Ping	5.11	Alerts other sites when your site has been updated.
<input checked="" type="checkbox"/>	Poll	5.11	Allows your site to capture votes on different topics in the form of multiple choice
<input checked="" type="checkbox"/>	Profile	5.11	Supports configurable user profiles.
<input checked="" type="checkbox"/>	Search	5.11	Enables site-wide keyword searching. Required by: Active Search (disabled), Location Search (disabled), Views FastSearch (enabled)
<input checked="" type="checkbox"/>	Statistics	5.11	Logs access statistics for your site.
<input checked="" type="checkbox"/>	Taxonomy	5.11	Enables the categorization of content. Required by: CCK Taxonomy (enabled), Forum (disabled), GMap Taxonomy Markers (disabled), Simplenews (enabled), Taxonomy Subscriptions (disabled), Taxonomy breadcrumb (disabled)
<input type="checkbox"/>	Throttle	5.11	Handles the auto-throttling mechanism, to control site congestion.
<input type="checkbox"/>	Tracker	5.11	Enables tracking of recent posts for users. Depends on: Comment (enabled)
<input checked="" type="checkbox"/>	Upload	5.11	Allows users to upload and attach files to content. Required by: Front Page Slideshow (enabled)

Core - required

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Block	5.11	Controls the boxes that are displayed around the main content.
<input checked="" type="checkbox"/>	Filter	5.11	Handles the filtering of content in preparation for display.
<input checked="" type="checkbox"/>	Node	5.11	Allows content to be submitted to the site and displayed on pages.
<input checked="" type="checkbox"/>	System	5.11	Handles general site configuration for administrators.
<input checked="" type="checkbox"/>	User	5.11	Manages the user registration and login system.
<input checked="" type="checkbox"/>	Watchdog	5.11	Logs and records system events.

Date/Time

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Date	5.x-2.3	Defines CCK date/time fields and widgets. Depends on: Content (enabled), Date API (enabled), Date Timezone (enabled) Required by: Date Copy (disabled)
<input checked="" type="checkbox"/>	Date API	5.x-2.3	A Date API that can be used by other modules. Required by: Date (enabled), Date PHP4 (enabled), Date Popup (enabled), Date Repeat API (c)
<input type="checkbox"/>	Date Copy	5.x-2.3	Import and export CCK date data. Depends on: Content (enabled), Date (enabled)
<input checked="" type="checkbox"/>	Date PHP4	5.x-2.3	Emulate PHP 5.2 date functions in PHP 4.x, PHP 5.0, and PHP 5.1. Required when versions less than PHP 5.2. Depends on: Date API (enabled)
<input checked="" type="checkbox"/>	Date Popup	5.x-2.3	Enables jquery popup calendars and time entry widgets for selecting dates and t Depends on: Date API (enabled), Date Timezone (enabled)
<input type="checkbox"/>	Date Repeat API	5.x-2.3	A Date Repeat API to calculate repeating dates and times from iCal rules. Depends on: Date API (enabled)
<input checked="" type="checkbox"/>	Date Timezone	5.x-2.3	Needed when using Date API. Overrides site and user timezone handling to set t Depends on: Date API (enabled) Required by: Date (enabled), Date Popup (enabled)

Development

Enabled	Name	Version	Description
<input type="checkbox"/>	Location Generate	5.x-3.1-rc1	Bulk assign random latitude and longitudes to nodes. Depends on: Location (enabled)

ImageCache

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	ImageAPI	5.x-1.4	ImageAPI supporting multiple toolkits. Required by: ImageAPI GD2 (enabled), ImageAPI ImageMagick (disabled), ImageCache
<input checked="" type="checkbox"/>	ImageAPI GD2	5.x-1.4	Uses PHP's built-in GD2 image processing support. Depends on: ImageAPI (enabled)
<input type="checkbox"/>	ImageAPI ImageMagick	5.x-1.4	Command Line ImageMagick support. Depends on: ImageAPI (enabled)
<input checked="" type="checkbox"/>	ImageCache	5.x-2.3	Dynamic image manipulator and cache. Depends on: ImageAPI (enabled) Required by: ImageCache 4 Image (disabled), Imagecache UI (enabled)
<input type="checkbox"/>	ImageCache 4 Image	5.x-2.3	Imagecache integration for Image module. Depends on: ImageCache (enabled), Image (missing)
<input checked="" type="checkbox"/>	Imagecache UI	5.x-2.3	ImageCache User Interface. Depends on: ImageCache (enabled), ImageAPI (enabled)

Invite

Enabled	Name	Version	Description
<input type="checkbox"/>	Cancel User Accounts	5.x-1.13	Allows your users to terminate user accounts by withdrawing their invitation. WA effect when you enable it. Depends on: Invite (enabled)
<input checked="" type="checkbox"/>	Invite	5.x-1.13	Allow your users to send and track invitations to join your site. Depends on: Token (enabled) Required by: Buddylist Invite (enabled), Cancel User Accounts (disabled), Invite Statistics (ena)
<input checked="" type="checkbox"/>	Invite Statistics	5.x-1.13	Displays some statistics about sent invitations. Depends on: Invite (enabled)

Javascript tools

Enabled	Name	Version	Description
<input type="checkbox"/>	Active Search	5.x-1.x-dev	Adds AJAX to standard Drupal search. Depends on: Javascript tools (enabled), Tabs (enabled), Search (enabled)
<input type="checkbox"/>	Activeedit	5.x-1.x-dev	Provides AJAX-based in place editing. Depends on: Javascript tools (enabled), Formfilter (missing) Required by: Activeedit Theme Assist (disabled)
<input type="checkbox"/>	Activeedit Theme Assist	5.x-1.x-dev	Helper module for theming Active Edit selectors. Depends on: Activeedit (disabled)
<input type="checkbox"/>	Activemenu	5.x-1.x-dev	Adds AJAX-based tree menu to navigation menu. Depends on: Javascript tools (enabled)
<input type="checkbox"/>	AJAX submit	5.x-1.x-dev	Makes designated forms submit via AJAX. Depends on: Javascript tools (enabled), Form_store (missing)
<input checked="" type="checkbox"/>	Collapsiblock	5.x-1.x-dev	Makes blocks collapsible. Depends on: Javascript tools (enabled)
<input type="checkbox"/>	Dynamicload	5.x-1.x-dev	Enables AJAX-based loading of selected page elements. Depends on: Javascript tools (enabled), Pagearray (missing)
<input checked="" type="checkbox"/>	Javascript tools	5.x-1.x-dev	Provides common methods used by Javascript Tools modules. Required by: Activeedit (disabled), Activemenu (disabled), Active Search (disabled), AJ (enabled), Dynamicload (disabled), Tabs (enabled)
<input checked="" type="checkbox"/>	JS Calendar	5.x-1.x-dev	Enables popup calendars for selecting dates using the jscalendar library.
<input checked="" type="checkbox"/>	Tabs	5.x-1.x-dev	A helper module for creating tabbed pages. Depends on: Javascript tools (enabled) Required by: Active Search (disabled), Tabs panel style (enabled)
<input type="checkbox"/>	Tabs Example	5.x-1.x-dev	An example tabs implementation. Access the sample tabs at /tabsexampl

Location

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	GMap	5.x-1.1-rc1	Filter to allow insertion of a google map into a node Required by: GMap Location (enabled), GMap Macro Builder (disabled), GMap Taxonomy (enabled)
<input checked="" type="checkbox"/>	GMap Location	5.x-1.1-rc1	Display location.module information on Google Maps Depends on: GMap (enabled), Location (enabled)
<input type="checkbox"/>	GMap Macro Builder	5.x-1.1-rc1	UI for building GMap macros. Depends on: GMap (enabled)
<input type="checkbox"/>	GMap Taxonomy Markers	5.x-1.1-rc1	Taxonomy based markers Depends on: GMap (enabled), Taxonomy (enabled)
<input checked="" type="checkbox"/>	GMap Views Integration	5.x-1.1-rc1	Allows the use of GMap in Views. Depends on: GMap (enabled), Views (enabled), Location Views (enabled)
<input checked="" type="checkbox"/>	Location	5.x-3.1-rc1	The location module allows you to associate a geographic location with content searches by postal code. This is useful for organizing communities that have Required by: GMap Location (enabled), Location Add Another (enabled), Location CCK (disabled), Node Locations (enabled), Location Phone (disabled), Location Search Location Views (enabled)
<input checked="" type="checkbox"/>	Location Add Another	5.x-3.1-rc1	Allows you to quickly add locations directly from a node without having to click Depends on: Location (enabled), Node Locations (enabled)
<input type="checkbox"/>	Location Fax	5.x-3.1-rc1	Allows you to add a fax number to a location. Depends on: Location (enabled)
<input type="checkbox"/>	Location Phone	5.x-3.1-rc1	Allows you to add a phone number to a location. Depends on: Location (enabled)
<input type="checkbox"/>	Location Search	5.x-3.1-rc1	Advanced search page for locations. Depends on: Search (enabled), Location (enabled)
<input checked="" type="checkbox"/>	Location Views	5.x-3.1-rc1	Views-enables the node location fields and creates default location views. Us Depends on: Location (enabled), Views (enabled) Required by: GMap Views Integration (enabled)
<input checked="" type="checkbox"/>	Node Locations	5.x-3.1-rc1	Associate locations with nodes. Depends on: Location (enabled) Required by: Location Add Another (enabled)
<input checked="" type="checkbox"/>	User Locations	5.x-3.1-rc1	Associate locations with users. Depends on: Location (enabled)

Mail

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Mime Mail	5.x-1.0	E-mail with HTML and attachments Required by: Messaging Mime Mail (disabled)
<input type="checkbox"/>	Private messages	5.x-3.0	Allow private messages between users. Required by: Privatemsg (disabled)
<input checked="" type="checkbox"/>	Simplenews	5.x-1.5	Send newsletters to subscribed e-mail addresses. Depends on: Taxonomy (enabled)

Messaging

Enabled	Name	Version	Description
<input type="checkbox"/>	Debug tool	5.x-1.0	Debugging utilities for messaging. Depends on: Messaging (enabled)
<input checked="" type="checkbox"/>	Messaging	5.x-1.0	Messaging system. This is the base module for the Messaging Framework Required by: Debug tool (disabled), Simple Mail (enabled), Messaging Mime Mail (disabled), (disabled), Simple messaging (enabled), SMS Messaging (disabled), Notifications (enabled)
<input type="checkbox"/>	Messaging Mime Mail	5.x-1.0	Mail Sending Method: Integration with Mime Mail module Depends on: Messaging (enabled), Mime Mail (enabled)
<input type="checkbox"/>	Messaging PHPMailer	5.x-1.0	Mail Sending Method: Integration with Drupal mail API for HTML Mail Depends on: Messaging (enabled)
<input type="checkbox"/>	Privatemsg	5.x-1.0	Sending Method: Integration with Privatemsg Depends on: Messaging (enabled), Private messages (disabled)
<input checked="" type="checkbox"/>	Simple Mail	5.x-1.0	Mail Sending Method: Integration with Drupal mail API Depends on: Messaging (enabled)
<input checked="" type="checkbox"/>	Simple messaging	5.x-1.0	Sending Method: Show messages on user's page Depends on: Messaging (enabled)
<input type="checkbox"/>	SMS Messaging	5.x-1.0	Sending Method: SMS Depends on: Messaging (enabled), Sms (missing), Sms_user (missing)

Node Profile

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Node Family	5.x-1.4	Builds node families based on content types and author information. Required by: Node Profile (enabled)
<input checked="" type="checkbox"/>	Node Profile	5.x-1.4	Marks content types as profiles. Depends on: Node Family (enabled), Subform Element (enabled) Required by: Node Profile Helper (enabled)
<input checked="" type="checkbox"/>	Node Profile Helper	5.x-1.0-alpha5	Functions for using Nodeprofile with Advanced Profile Depends on: Node Profile (enabled), Advanced Profile Kit (enabled)
<input checked="" type="checkbox"/>	Usernode	5.x-1.4	Automatic creation and deletion of usernodes - one node for each user.

Notifications

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Content Notifications	5.x-1.0	Allows users to subscribe to content related events. Depends on: Notifications (enabled) Required by: Notifications Autosubscribe (disabled), Taxonomy Notifications (disabled)
<input type="checkbox"/>	FeedAPI Subscriptions	5.x-1.0	Allows users to subscribe to feeds and be notified when they are updated Depends on: Notifications (enabled), Feedapi (missing)
<input type="checkbox"/>	Mail to Web	5.x-1.0-rc1	Gateway module for responding to posts via mail Depends on: Notifications (enabled), Mailhandler (missing)
<input checked="" type="checkbox"/>	Notifications	5.x-1.0	The basic notifications framework Depends on: Token (enabled), Messaging (enabled) Required by: Notifications Autosubscribe (disabled), Content Notifications (enabled), Mail to Web (disabled), Taxonomy Notifications (disabled), Notifications UI (enabled), Organizational
<input type="checkbox"/>	Notifications Autosubscribe	5.x-1.0	Provides automatic notifications. Depends on: Notifications (enabled), Content Notifications (enabled)
<input type="checkbox"/>	Notifications Lite	5.x-1.0	Extra Simple Notifications API. Enable only when required by other modules
<input checked="" type="checkbox"/>	Notifications UI	5.x-1.0	Provides an UI to notifications Depends on: Notifications (enabled)
<input type="checkbox"/>	Taxonomy Notifications	5.x-1.0	Allows users to subscribe to taxonomy terms. Depends on: Notifications (enabled), Content Notifications (enabled), Taxonomy (enabled)

Organic groups

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Organic groups	5.x-7.3	Enable users to create and manage their own 'groups' Depends on: Views (enabled), Views RSS (enabled) Required by: Organic groups access control (enabled), Organic Groups Notifications (enabled), Organic Groups panels (disabled)
<input checked="" type="checkbox"/>	Organic groups access control	5.x-7.3	Enable access control for private posts and private groups. Depends on: Organic groups (enabled)
<input checked="" type="checkbox"/>	Organic Groups Notifications	5.x-7.3	Allows users to subscribe to content in groups. Depends on: Notifications (enabled), Content Notifications (enabled), Organic groups (enabled)
<input checked="" type="checkbox"/>	Organic groups panels	5.x-7.3	Enable group admins to create panel pages. Depends on: Organic groups (enabled), Panels (enabled), Views panes (enabled)

Other

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	'me' Aliases	5.x-1.0	Provides links to current user's pages using 'me' instead of the numeric
<input checked="" type="checkbox"/>	Account Reminder	5.x-1.0	A small module to resend the welcome email to those users who have ye
<input checked="" type="checkbox"/>	Advanced Profile Kit	5.x-1.0-alpha5	Provides panels pieces, views, and glue code to put together an advanc Depends on: Panels (enabled) Required by: Node Profile Helper (enabled)
<input checked="" type="checkbox"/>	Advanced User Management	5.x-2.1	Advanced user management module. Filter users and mass actions bas
<input checked="" type="checkbox"/>	Avatar Blocks	5.x-1.2	Provides a collection of blocks for use on a Drupal social networking site
<input checked="" type="checkbox"/>	Backup and Migrate	5.x-1.2	Backup or migrate the Drupal Database quickly and without unnecessar
<input checked="" type="checkbox"/>	Better Select	5.x-1.0-beta1	Use stylized checkboxes instead of the default multiple select HTML ele
<input checked="" type="checkbox"/>	Checkbox Validate	5.x-1.0	Makes checkbox fields that have been specified as required behave as r Required by: Legal (enabled)
<input checked="" type="checkbox"/>	Control Panel	5.x-1.5	Build graphical Control Panels.
<input checked="" type="checkbox"/>	Custom Breadcrumbs	5.x-1.2	Allows administrators to define custom breadcrumb trails on a per-node
<input checked="" type="checkbox"/>	Dynamic Rendering	5.x-1.1	Administrative interface for various CSS/JS-based rendering technologi
<input checked="" type="checkbox"/>	Favorite Nodes	5.x-1.3	Allows users to manage a favorite list of nodes. Required by: Favorite Nodes activity (disabled)
<input checked="" type="checkbox"/>	FCKeditor	5.x-2.2-rc3	Enables the usage of FCKeditor (WYSIWYG) instead of plain text fields.
<input checked="" type="checkbox"/>	Flag	5.x-1.0-beta4	Create customized flags that users can set on nodes. Required by: Flag actions (disabled), Flag activity (enabled)
<input type="checkbox"/>	Flag actions	5.x-1.0-beta4	Execute actions on Flag events. Depends on: Flag (enabled), Actions (missing)
<input type="checkbox"/>	Google Analytics	5.x-1.7	Adds Google Analytics javascript tracking code to all your site's pages.
<input checked="" type="checkbox"/>	Imagecache Profile Pictures		Utilizes imagecache presets for user profile pictures.
<input checked="" type="checkbox"/>	IMCE	5.x-1.2	An image/file uploader and browser supporting personal directories and
<input checked="" type="checkbox"/>	Legal	5.x-1.9	Display Terms and Conditions statement on the registration page. Depends on: Checkbox Validate (enabled)
<input checked="" type="checkbox"/>	Login	5.x-1.0	Controls which URI users will be redirected upon login

Panels

Enabled	Name	Version	Description
<input type="checkbox"/>	Legacy node panes	5.x-2.0-rc1a	Allows embedding specific nodes into panes without using contexts. This mod for older Panels API implementations; you should only enable it if your Panels node-related data. Depends on: Panels (enabled)
<input type="checkbox"/>	Legacy views panes	5.x-2.0-rc1a	Provides all views as panes to be added to displays; this is provided for legacy installations. Depends on: Panels (enabled), Views (enabled)
<input checked="" type="checkbox"/>	Mini panels	5.x-2.0-rc1a	Create mini panels that can be used as blocks. Depends on: Panels (enabled)
<input checked="" type="checkbox"/>	Panel nodes	5.x-2.0-rc1a	Create nodes that are divided into areas with selectable content. Depends on: Panels (enabled)
<input checked="" type="checkbox"/>	Panel pages	5.x-2.0-rc1a	Create pages that are divided into areas of the page. Depends on: Panels (enabled)
<input checked="" type="checkbox"/>	Panels	5.x-2.0-rc1a	Core Panels display functions Required by: Advanced Profile Kit (enabled), Organic groups panels (enabled), Panels export nodes (enabled), Legacy node panes (disabled), Panel pages (enabled), Panels simple cache Views panes (enabled), Legacy views panes (disabled), Bonus: Panels (disabled)
<input checked="" type="checkbox"/>	Panels exporter	5.x-2.0-rc1a	Allows exporting multiple panel pages, mini panels and other types at once. Depends on: Panels (enabled)
<input type="checkbox"/>	Panels simple cache	5.x-2.0-rc1a	Adds the simple cache as an option when configuring panel panes. Depends on: Panels (enabled)
<input checked="" type="checkbox"/>	Views panes	5.x-2.0-rc1a	Creates views as content types that can be added to displays Depends on: Panels (enabled), Views (enabled) Required by: Organic groups panels (enabled)

Panels style plugins

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Tabs panel style	5.x-1.5	Configurable 'tabs' panel style. Provides 3 kinds of tabs. Depends on: Panels (enabled), Tabs (enabled)

Slideshow

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Front Page Slideshow	5.x	Adds Front Page Slideshow as a block to be used within Drupal, either in the site views. Depends on: Upload (enabled), jQuery Update (enabled)

Social networking

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Buddylist	5.x-1.1-beta	Users add other users to their buddylists. Required by: Buddylist activity (enabled), Buddylist Auto Add (disabled), Buddylist Invite (e)
<input type="checkbox"/>	Buddylist Auto Add	5.x-1.1-beta	Adds a user automatically to the buddy list Depends on: Buddylist (enabled)
<input checked="" type="checkbox"/>	Buddylist Invite	5.x-1.1-beta	Integrates the buddylist and invite modules. Depends on: Buddylist (enabled), Invite (enabled)

Spam control

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	CAPTCHA	5.x-3.2	Base CAPTCHA module for adding challenges to arbitrary forms. Required by: Image CAPTCHA (enabled), Text CAPTCHA (disabled)
<input checked="" type="checkbox"/>	Image CAPTCHA	5.x-3.2	Provides an image based CAPTCHA. Depends on: CAPTCHA (enabled)
<input type="checkbox"/>	Text CAPTCHA	5.x-3.2	Provides a simple text based CAPTCHA. Depends on: CAPTCHA (enabled)

Subscriptions

Enabled	Name	Version	Description
<input type="checkbox"/>	Blog Subscriptions UI	5.x-2.2	Provides a separate blogs subscriptions page. Depends on: Subscriptions (disabled), Content Subscriptions (disabled), Blog (enabled)
<input type="checkbox"/>	CCK Fields	5.x-2.2	Provides CCK field data as mail variables. Depends on: Subscriptions (disabled), Content Subscriptions (disabled), Content (enabled)
<input type="checkbox"/>	Content Subscriptions	5.x-2.2	Allows users to subscribe to nodes. Depends on: Subscriptions (disabled) Required by: Moderate Content Notifications (disabled), Blog Subscriptions UI (disabled) Subscriptions (disabled)
<input type="checkbox"/>	Moderate Content Notifications	5.x-2.2	Spam deterrent: make sure no spam is sent from our web site. Depends on: Content Subscriptions (disabled)
<input type="checkbox"/>	Subscriptions	5.x-2.2	The basic Subscriptions framework. Required by: Blog Subscriptions UI (disabled), CCK Fields (disabled), Content Subscriptions (disabled), Taxonomy Subscriptions (disabled), Subscriptions UI (disabled)
<input type="checkbox"/>	Subscriptions Mail	5.x-2.2	Sends out mails with drupal_mail, relying on the separate mail_edit module Depends on: Mail_edit (missing), Subscriptions (disabled)
<input type="checkbox"/>	Subscriptions UI	5.x-2.2	Provides a UI to Subscriptions. Depends on: Subscriptions (disabled)
<input type="checkbox"/>	Taxonomy Subscriptions	5.x-2.2	Allows users to subscribe to taxonomy terms. Depends on: Subscriptions (disabled), Content Subscriptions (disabled), Taxonomy (enabled)

Taxonomy Enhancer

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Taxonomy Enhancer	5.x-2.1	Extend taxonomy terms with customizable fields Required by: Text Field (enabled)
<input checked="" type="checkbox"/>	Text Field	5.x-2.1	Provides 'text field' and 'text area' options Depends on: Taxonomy Enhancer (enabled)

User Interface

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	jCarousel	5.x-1.3	This module allows developers and themers to make use of the jCarousel jQuery. Depends on: jQuery Update (enabled)
<input checked="" type="checkbox"/>	jQuery Impromptu	5.x-1.x-dev	A more pleasant way to spontaneously prompt a user for input. Depends on: jQuery Update (enabled) Required by: Content Field Privacy (enabled)
<input checked="" type="checkbox"/>	jQuery Update	5.x-2.0	Updates Drupal to use the latest version of jQuery. Required by: Front Page Slideshow (enabled), jCarousel (enabled), jQuery Impromptu (enabled)

Userpoints

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	User Points Top Contributors	5.x-1.0	Creates blocks and pages that list a community's Top Contributors. Depends on: Userpoints (enabled)
<input checked="" type="checkbox"/>	User Points Voting API	5.x-2.2	Integrates User Points with Voting API-based modules like Fivestar. Depends on: Userpoints (enabled), Voting API (enabled)
<input checked="" type="checkbox"/>	Userpoints	5.x-3.7	Users earn points as they post nodes, comments, and vote on nodes. Required by: Userpoints Basic (enabled), Userpoints Service (disabled), User Points Top Contributors (enabled), User Points Voting API (enabled), Userpoints Workflow-NG integration (disabled)
<input checked="" type="checkbox"/>	Userpoints Basic	5.x-3.7	Userpoints for core Drupal, such as posting nodes and comments, and moderation. Depends on: Userpoints (enabled)
<input type="checkbox"/>	Userpoints Service	5.x-3.7	Exposes userpoints functionality via XML-RPC. Depends on: Userpoints (enabled), Services (missing)
<input type="checkbox"/>	Userpoints Workflow-NG integration	5.x-3.7	Provides integration of Userpoints with Workflow-NG. Depends on: Userpoints (enabled), Workflow_ng (missing)
<input checked="" type="checkbox"/>	Views Integration	5.x-3.7	Adds userpoints related fields, sorts and filters to views. Benefits from the userpoints module although not required. Depends on: Userpoints (enabled), Views (enabled)

Views

Enabled	Name	Version	Description
<input type="checkbox"/>	Bonus: audio playlist	5.x-1.2-alpha2	Displays a view of audio nodes in a flash player with playlist. Depends on: Views (enabled), Audio (missing)
<input type="checkbox"/>	Bonus: Bare view	5.x-1.2-alpha2	Outputs fields as they are; no fancy formatting. Depends on: Views (enabled)
<input type="checkbox"/>	Bonus: grid view	5.x-1.2-alpha2	View type that outputs a LIST view in a simple grid. In your PHP argument use <code>\$view->gridcount = SOME_NUMBER; ?></code> to change the column count Depends on: Views (enabled)
<input type="checkbox"/>	Bonus: lineage nested	5.x-1.2-alpha2	View type that displays summaries as nested taxonomy trees. Provides a new Depends on: Views (enabled), Lineage (missing), Taxonomy (enabled)
<input type="checkbox"/>	Bonus: monthly archive	5.x-1.2-alpha2	Provides the classic monthly archive view as a default view. When activated, you can administer >> views Depends on: Views (enabled)
<input type="checkbox"/>	Bonus: Panels	5.x-1.2-alpha2	Various views style plugins to put views nodes in panels Depends on: Views (enabled), Panels (enabled)
<input type="checkbox"/>	Bonus: Sparkline view	5.x-1.2-alpha2	View type that outputs a each field as a sparkline graph, with one data point for a numeric value, not a text value. Depends on: Views (enabled), Sparkline (missing)
<input type="checkbox"/>	Bonus: summary + full view	5.x-1.2-alpha2	View type puts a summary on top and an argument below. Depends on: Views (enabled)
<input checked="" type="checkbox"/>	Bonus: Views Export	5.x-1.2-alpha2	Plugin to export views to Comma Separated Values (CSV), opens in spreadsheet Depends on: Views (enabled)
<input checked="" type="checkbox"/>	Views	5.x-1.6	The views module creates customized views of node lists. Required by: CCK Taxonomy (enabled), GMap Views Integration (enabled), Location Views panes (enabled), Legacy views panes (disabled), Views Integration (enabled), Views Alpha F (disabled), Bonus: audio playlist (disabled), Bonus: Bare view (disabled), Bonus: Views Export (disabled), Bonus: lineage nested (disabled), Bonus: Panels (disabled), Bonus: Sparkline view (disabled), Views FastSearch (enabled), Views FilterBlock (enabled), Views Group-By Pack (enabled), Views UI (enabled)
<input checked="" type="checkbox"/>	Views Alpha Pager	5.x-1.4	Enables an alphabet pager option for views. Depends on: Views (enabled)
<input type="checkbox"/>	Views Fast Search - Node type rankings	5.x-2.0	Ability to give weighting to node types to change search scores Depends on: Views FastSearch (enabled)
<input checked="" type="checkbox"/>	Views	5.x-2.0	Defines a faster search filter for the views module. Depends on: Views (enabled), Search (enabled)

Voting

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Fivestar	5.x-1.13	A simple five-star voting widget for nodes. Depends on: Voting API (enabled) Required by: Fivestar Comments (enabled)
<input checked="" type="checkbox"/>	Fivestar Comments	5.x-1.13	Rate nodes by leaving comments. Depends on: Voting API (enabled), Fivestar (enabled)

Voting API

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Voting API	5.x-1.6	Provides a shared voting API for other modules. Required by: Fivestar (enabled), Fivestar Comments (enabled), User Points Voting API (enabled),

All content © 2009 National Environmental Education Foundation.